## PROHEALTH ADVANCED IMAGING

## Radiology Report

**Patient Name:** KHAMENIA ALENA Report Date: 10-Jul-2023 18:01.04

Patient ID: 1260092 **Accession No.:** 3648316

**Patient Birth Date:** F 18-Feb-1981 Report Status:

LONG16530000001 Referring Physician: Reason For Study: LONGACRE MATTHEW

LONGACRE, MATTHEW MD 16530 VENTURA BLVD SUITE 100 **ENCINO, CA 91436** 

PATIENT NAME: KHAMENIA, ALENA MRN: 1260092

DOB: 02/18/1981 AGE: 42

**EXAM DATE:** 07/10/2023 ACCESSION: 3648316

**MODALITY**: MRI

**EXAMINATION: MR LUMBAR W/O** 

## **IMPRESSION:**

L4-L5: There is disc desiccation. 4-5 mm disk bulge with mild to moderate ligamentum flavum hypertrophy contribute to moderate spinal canal stenosis and mild bilateral foraminal stenosis.

L5-S1: There is disc desiccation. 3-4 mm disk bulge contributes to minimal bilateral foraminal stenosis.

Indication:

Reference Examination(s): None.

Technique: MRI of the lumbar spine was obtained using a High Field 1.5 Tesla MRI scanner. The following sequences were obtained:

Multiphase, multiplanar, multi-weighted sequences were obtained.

## **FINDINGS:**

The lumbar lordosis is maintained without significant scoliosis.

- T12-L1: There is no significant disc desiccation. There is no significant loss of disc height. There is no significant disk bulge or herniation. There is no significant facet arthropathy. The spinal canal remains adequate. The neuroforamina remain adequate.
- L1-L2: There is no significant disc desiccation. There is no significant loss of disc height. There is no significant disk bulge or herniation. There is no significant facet arthropathy. The spinal canal remains adequate. The neuroforamina remain adequate.
- L2-L3: There is no significant disc desiccation. There is no significant loss of disc height. There is no significant disk bulge or herniation. There is no significant facet arthropathy. The spinal canal remains adequate. The neuroforamina remain adequate.
- L3-L4: There is no significant disc desiccation. There is no significant loss of disc height. There is no significant disk bulge or herniation. There is no significant facet arthropathy. The spinal canal remains adequate. The neuroforamina remain adequate.
- L4-L5: There is disc desiccation. There is no significant loss of disc height. 4-5 mm disk bulge with mild to moderate ligamentum flavum hypertrophy contribute to moderate spinal canal stenosis and mild bilateral foraminal stenosis.
- L5-S1: There is disc desiccation. There is no significant loss of disc height. 3-4 mm disk bulge contributes to minimal bilateral foraminal stenosis. There is no significant facet arthropathy. The spinal canal remains adequate.

There is no paraspinal muscle atrophy.

The distal cord and conus medullaris are within normal limits. There is no paraspinal soft tissue mass.

Disclaimer: This document was generated using a voice recognition system, which may produce sporadic inaccurate transcription or nonsensical phrases.

Electronically Signed by: Ramin Akhavan MD on 2023-07-10 18:01:04