

TOP IMAGING CENTER

13091 KERRY ST GARDEN GROVE CA 92844 TEL : 714-783-9073 FAX : 714-464-4449

PATIENT NAME : AGE/SEX : DOB : DATE OF EXAM : PHYSICIAN : EGER, ALAN FLOYD 52/M 09/18/62 05/22/15 DR. THAI HAO

MRI OF THE LEFT FOOT/ANKLE

TECHNIQUE:

MRI scans of the left foot/ankle were obtained in multiple planes and sequences. The exam was performed utilizing a 0.36 Tesla Open MRI scanner.

FINDINGS:

There is normal marrow signal with no evidence of fracture or contusion.

The deltoid ligament is intact.

The anterior and posterior talofibular ligaments are intact.

The flexor, extensor and peroneal tendons appear normal.

There is a small amount of fluid in the tibialis posterior tendon sheath, which is physiologic in quantity.

The Achilles tendon is normal low signal intensity. However, edema is seen in Kager's fat pad approximately 5 cm from the calcaneal insertion.

There is fluid signal at the plantar fascia calcaneal insertion.

Intraosseous ligament is visualized in sinus tarsi.

(CONTINUED ON THE NEXT PAGE)



TOP IMAGING CENTER

13091 KERRY ST GARDEN GROVE CA 92844 TEL : 714-783-9073 FAX : 714-464-4449

PAGE TWO

PATIENT NAME:EGER, AAGE/SEX:52/MDOB:09/18/62DATE OF EXAM:05/22/15PHYSICIAN:DR. THA

EGER, ALAN FLOYD 52/M 09/18/62 05/22/15 DR. THAI HAO

MRI OF THE LEFT FOOT/ANKLE

IMPRESSION:

1. Edema in Kager's fat pad indicating Achilles tendon inflammatory change.

2. Plantar fasciitis.

Thank you for referring this patient to Top Imaging Center.

O Sapanho

BRENDA SAFRANKO, M.D. Diplomate, American Board of Radiology (electronically signed)

DD: 05/27/15 DT: 05/27/15

BS/lum